

# Display Film Greyback WB

200 µm

**Material Description** Polypropylene Greyback banner for display applications. This PP has a high opacity, brilliant colours, and perfect durability. PP is tear resistant, product is perfect for low cost rolls ups due to anti-curl properties.

- Qualifications**
- A fine Matt coated finish
  - Polypropylene base material
  - Print side: matt white surface
  - Available in 36+, 42+ 30m
  - Core size: 2+




- Details**
- Suitable printing condition: temperature 15-30°C / humidity 30-60%
  - Dye based inks and pigmented inks are compatible
  - Over laminating, the printer material prolong the life of the print
  - Ambient temperature and weather can affect the condition of the product

- Applications**
- Presentation systems ( roll ups,, etc...
  - Shop display
  - Exhibitions

**Physical Properties**

Quality		Polypropylene
Weight		150g/m <sup>2</sup>
Thickness		200 µm test method: ASTM D645
Print side		Matt
Reverse side		White satin
L.a.b.		85/1,5 /-8 test method: ANSI T (D50/2°/Abs/No)
yellowness		30 test method: ASTM D1925
glossiness		3/5 test method: ASTM 2457

- Compatibility**
- Hewlett packard**  
**Epson**  
**Canon**  
**Oce**  
**And more...**

-  WB Pigment (UV)
-  WB dye
-  Latex

Make your own practical test to be sure it reaches your quality standard.  
 For all- and latest information see our Compatibility List.

**Printing guidelines** Ink restrictions and heater settings have to be set for specific printer ink combinations to obtain the best results.

**Colour profiles** ATgraphix develops high quality ICC colour profiles for the divers printing media's. We work with specialists who can produce your profile if it's not direct available from our library. Please contact us for the possibilities.

**Storage conditions** 1 year under normal conditions (10. 25°C at a relative humidity of 50 %). Higher humidity and/or temperature can affect the product performance. Always store the media in a dark place.

**Environment** The media and final prints can be disposed of as polypropylene. Material is suitable for recycling. Please consult local recycle resources.